

Camlock Fittings: Banjo Camlock Couplings



Technical Specification

- Sizes: 1/2" - 4"
- Polypropylene camlocking quick release couplings
- BSP or NPT threads
- EPDM gasket supplied as standard
- Working pressures up to 125 PSI (temperature dependent)
- Stainless Steel rings, arms & pins



Features & Benefits

- Superior quality body-precision machined surfaces
- Precision moulded for uniform fit
- Rugged strength & durability
- Versatile
- Interchangeable

Applications

- Pipe, hose, tubing & tanks conveying liquids & powders
- Cooling water
- Fuels
- Chemicals
- Cosmetics
- Foodstuffs
- Offshore

Code	Size (in.)	Size (mm.)	Thread
Part A - Male Adaptor by Female Thread			
A050-PB	1/2"	13	BSP
A050-PB-NPT	1/2"	13	NPT
A075-PB	3/4"	19	BSP
A075-PB-NPT	3/4"	19	NPT
A100-PB	1"	25	BSP
A100-PB-NPT	1"	25	NPT
A125-PB	1 1/4"	32	BSP
A125-PB-NPT	1 1/4"	32	NPT
A150-PB	1 1/2"	40	BSP
A150-PB-NPT	1 1/2"	40	NPT
A200-PB	2"	50	BSP
A200-PB-NPT	2"	50	NPT
A300-PB	3"	75	BSP



Camlock Fittings: Banjo Camlock Couplings

Code	Size (in.)	Size (mm.)	Thread
A300-PB-NPT	3	75	NPT
A400-PB	4	100	BSP
A400-PB-NPT	4	100	NPT

Part B - Female Coupling by Male Thread

B050-PB	1/2"	13	BSP
B050-PB-NPT	1/2"	13	NPT
B075-PB	3/4"	19	BSP
B075-PB-NPT	3/4"	19	NPT
B100-PB	1"	25	BSP
B100-PB-NPT	1"	25	NPT
B125-PB	1 1/4"	32	BSP
B125-PB-NPT	1 1/4"	32	NPT
B150-PB	1 1/2"	40	BSP
B150-PB-NPT	1 1/2"	40	NPT
B200-PB	2	50	BSP
B200-PB-NPT	2	50	NPT
B300-PB	3	75	BSP
B300-PB-NPT	3	75	NPT
B400-PB	4	100	BSP
B400-PB-NPT	4	100	NPT

Part C Female Coupling by Hose Tail

C050-PB	1/2"	13	BSP
C050-PB-NPT	1/2"	13	NPT
C075-PB	3/4"	19	BSP
C075-PB-NPT	3/4"	19	NPT
C100-PB	1"	25	BSP
C100-PB-NPT	1"	25	NPT
C125-PB	1 1/4"	32	BSP
C125-PB-NPT	1 1/4"	32	NPT



Camlock Fittings: Banjo Camlock Couplings

Code	Size (in.)	Size (mm.)	Thread
C150-PB	1 1/2"	40	BSP
C150-PB-NPT	1 1/2"	40	NPT
C200-PB	2	50	BSP
C200-PB-NPT	2	50	NPT
C300-PB	3	75	BSP
C300-PB-NPT	3	75	NPT
C400-PB	4	100	BSP
C400-PB-NPT	4	100	NPT

Part D - Female Coupling by Female Thread

D050-PB	1/2"	13	BSP
D050-PB-NPT	1/2"	13	NPT
D075-PB	3/4"	19	BSP
D075-PB-NPT	3/4"	19	NPT
D100-PB	1"	25	BSP
D100-PB-NPT	1"	25	NPT
D125-PB	1 1/4"	32	BSP
D125-PB-NPT	1 1/4"	32	NPT
D150-PB	1 1/2"	40	BSP
D150-PB-NPT	1 1/2"	40	NPT
D200-PB	2	50	BSP
D200-PB-NPT	2	50	NPT
D300-PB	3	75	BSP
D300-PB-NPT	3	75	NPT
D400-PB	4	100	BSP
D400-PB-NPT	4	100	NPT

Part E - Male Adaptor by Hose Tail

D050-PB	1/2"	13	BSP
D050-PB-NPT	1/2"	13	NPT
D075-PB	3/4"	19	BSP

Camlock Fittings: Banjo Camlock Couplings

Code	Size (in.)	Size (mm.)	Thread
D075-PB-NPT	3/4"	19	NPT
D100-PB	1"	25	BSP
D100-PB-NPT	1"	25	NPT
D125-PB	1 1/4"	32	BSP
D125-PB-NPT	1 1/4"	32	NPT
D150-PB	1 1/2"	40	BSP
D150-PB-NPT	1 1/2"	40	NPT
D200-PB	2	50	BSP
D200-PB-NPT	2	50	NPT
D300-PB	3	75	BSP
D300-PB-NPT	3	75	NPT
D400-PB	4	100	BSP
D400-PB-NPT	4	100	NPT

Part F - Male Adaptor by Male Thread

F050-PB	1/2"	13	BSP
F050-PB-NPT	1/2"	13	NPT
F075-PB	3/4"	19	BSP
F075-PB-NPT	3/4"	19	NPT
F100-PB	1"	25	BSP
F100-PB-NPT	1"	25	NPT
F125-PB	1 1/4"	32	BSP
F125-PB-NPT	1 1/4"	32	NPT
F150-PB	1 1/2"	40	BSP
F150-PB-NPT	1 1/2"	40	NPT
F200-PB	2	50	BSP
F200-PB-NPT	2	50	NPT
F300-PB	3	75	BSP
F300-PB-NPT	3	75	NPT
F400-PB	4	100	BSP
F400-PB-NPT	4	100	NPT

Camlock Fittings: Banjo Camlock Couplings

Code	Size (in.)	Size (mm.)	Thread
Part DC - Dust Cap			
DC075-PB	3/4"	19	NA
DC100-PB	1"	25	NA
DC150-PB	1 1/2"	40	NA
DC200-PB	2	50	NA
DC300-PB	3	75	NA
DC400-PB	4	100	NA
Part DC - Dust Cap			
DP075-PB	3/4"	19	NA
DP100-PB	1"	25	NA
DP150-PB	1 1/2"	40	NA
DP200-PB	2	50	NA
DP300-PB	3	75	NA
DP400-PB	4	100	NA

Please note all 1 1/4" Polypropylene Banjo fittings are 1" Cam Connection x 1/4" Thread or Hose Tail.

