

DIN Fittings: Storz



Technical Specification

- Sizes: 1/2" to 10"
- Materials: Aluminum, Brass and Stainless Steel available upon request
- Seals: Buna as standard in Aluminium and Brass
- Seals: Viton as standard in Stainless Steel
- Nominal Pressure: up to 240psi (16 bar)

Features & Benefits

- Identical locking heads with no male or female half
- Couplings with matching KA dimensions can be connected
- Straight through connection

Applications

- Water transportation
- Bulk powders
- Firefighting
- Industrial applications

Code	Size	Size KA	Connection	Material
Hose Tail				
2/C 25	25mm	KA66	Hosetail	Aluminum
2/D 25	25mm	KA31	Hosetail	Aluminum
2/32 25	25mm	KA44	Hosetail	Aluminum
2/C 32	32mm	KA66	Hosetail	Aluminum
2/C 38	38mm	KA66	Hosetail	Aluminum
2/C 52	52mm	KA66	Hosetail	Aluminum
2/65 65	65mm	KA81	Hosetail	Aluminum
2/B 65	65mm	KA89	Hosetail	Aluminum
2/B 75	75mm	KA89	Hosetail	Aluminum
2/A 100	100mm	KA133	Hosetail	Aluminum

DIN Fittings: Storz

Code	Size	Size KA	Connection	Material
Female Threads				
3/D 1	25mm	KA31	Female BSP Thread	Aluminum
3/C 1	25mm	KA66	Female BSP Thread	Aluminum
3/38 11/2E	38mm	KA52	Female BSP Thread	Aluminium
3/C 11/2	38mm	KA66	Female BSP Thread	Aluminum
3/C 2	52mm	KA66	Female BSP Thread	Aluminum
3/C 21/2	64mm	KA66	Female BSP Thread	Aluminum
3/B 21/2	64mm	KA89	Female BSP Thread	Aluminum
3/B 3	75mm	KA89	Female BSP Thread	Aluminum
3/C 11/4	100mm	KA66	Female BSP Thread	Aluminum
3/100 4	100mm	KA115	Female BSP Thread	Aluminum
3/A 4	110mm	KA133	Female BSP Thread	Aluminum
3/150 6	150mm	KA160	Female BSP Thread	Aluminum
Swivel Connections				
3/C 11/2SWIVELSL	38mm	KA66	Female BSP Thread Swivel with Sleeve Lock	Aluminum
3/B 3SWIVEL	75mm	KA89	Female BSP Thread Swivel	Aluminium
3/B-3SWIVELSL	75mm	KA89	Female BSP Thread Swivel with Sleeve Lock	Aluminum
3/100 4SWIVEL	100mm	KA115	Female BSP Thread Swivel	Aluminum
3/A 4SWIVEL	110mm	KA133	Female BSP Thread Swivel	Aluminum
Male Threads				
4/C 1	25mm	KA66	Male BSP Thread	Aluminum
4/D 1	25mm	KA31	Male BSP Thread	Aluminum
4/C 2	52mm	KA66	Male BSP Thread	Aluminum
4/B 3	75mm	KA89	Male BSP Thread	Aluminum
4/A 4	110mm	KA133	Male BSP Thread	Aluminium

DIN Fittings: Storz

Code	Size	Size KA	Connection	Material
Blank Caps				
8/D	25mm	KA31	Blank Cap w/Chain	Aluminum
8/C	52mm	KA66	Blank Cap w/Chain	Aluminum
8/CD BLACK	52mm	KA66	Blank Cap w/ Delivery Seal	Aluminum
8/65	65mm	KA81	Blank Cap w/Chain	Aluminum
8/B	75mm	KA89	Blank Cap w/Chain	Aluminum
8/100	100mm	KA115	Blank Cap w/Chain	Aluminium
8/A	110mm	KA133	Blank Cap w/Chain	Aluminum
8/150	150mm	KA160	Blank Cap w/Chain	Aluminum
Reducers				
B/C		KA89/KA66	Storz/Storz Reducer	Aluminium
A/B		KA133/KA89	Storz/Storz Reducer	Aluminium
Delivery Seal				
69/CD BLACK	52mm	KA66	Delivery Seal	Black Nitrile Buna
69/CD	52mm	KA66	Delivery Seal	White Buna Nitrile
69/BD	75mm	KA89	Delivery Seal	White Buna Nitrile
Suction and Delivery Seals				
69/D	25mm	KA31	Suction & Delivery Seal	White Buna Nitrile
69/65	38mm	KA81	Suction & Delivery Seal	White Buna Nitrile
69/C BLACK	52mm	KA66	Suction & Delivery Seal	Black Buna Nitrile
69/C	52mm	KA66	Suction & Delivery Seal	White Buna Nitrile
69/B BLACK	75mm	KA89	Suction & Delivery Seal	Black Buna Nitrile
69/B VITON	75mm	KA89	Suction & Delivery Seal	Viton (FKM)
69/B	75mm	KA89	Suction & Delivery Seal	White Buna Nitrile
69/100	100mm	KA115	Suction & Delivery Seal	White Buna Nitrile
69/A VITON	110mm	KA133	Suction & Delivery Seal	Viton (FKM)
69/A	110mm	KA133	Suction & Delivery Seal	White Buna Nitrile
Spanner				
BC SPANN	64mm	KA66/KA89	Spanner	Steel
ABC SPANNDIMI	76mm	KA89/KA133	Double End Spanner	Malleable Iron
ABC SPANN	76mm	KA89/KA133	Spanner	Steel